



Linen Trolleys & Bags

- Soiled Linen Trolleys 220
- Linen Trolleys 224
- Hamper Trolleys 225
- Soiled Linen Bags 225
- Clean Linen Trolleys 226



WT/6/SS



WT/6/2/SS



WT/6/PL/SS



WT/6/2/PL/SS

Soiled Linen Trolleys - Stainless Steel, Cantilever Frame

Features

- Seamlessly welded from 304 grade stainless steel for strength & ease of cleaning
- Suitable for use with fabric linen bags using a tubular C shaped ring*
- Bags supported on an easy clean solid base
- Available with a plastic, pedal operated lid, when depressed prevents the trolley from moving
- 75mm pressed steel castors

*Recommended minimum bag circumference 1360mm, height 750mm

Dimensions (w x d x h)

- Single - 440 x 460 x 820mm
- Double - 835 x 460 x 820mm
- Single, Pedal Operated - 440 x 560 x 830mm
- Double, Pedal Operated - 835 x 560 x 830mm

Options

Linen Bags:

- R/BAG/WHITE - White
- R/BAG/BLUE - Blue
- R/BAG/RED - Red
- R/BAG/GREEN - Green
- R/BAG/YELLOW - Yellow
- R/BAG/GREY - Grey
- R/BAG/ORANGE - Orange

See Page 225 For Linen Bags



Pedal operated lid

Item	Description	Weight
WT/6/SS	Stainless Steel Cantilever, Single	6.5kg
WT/6/2/SS	Stainless Steel Cantilever, Double	10.0kg
WT/6/PL/SS	Stainless Steel Cantilever, Single, Pedal Operated	8.5kg
WT/6/2/PL/SS	Stainless Steel Cantilever, Double, Pedal Operated	14.5kg

Soiled Linen Trolleys - Mild Steel, Cantilever Frame

Features

- Welded mild steel frame
- Suitable for use with fabric linen bags using a tubular C shaped ring*
- Bags supported on an easy clean solid base
- Available with a plastic, pedal operated lid, when depressed prevents the trolley from moving
- 75mm pressed steel castors

*Recommended minimum bag circumference 1360mm, height 750mm

Dimensions (w x d x h)

- Single - 440 x 460 x 820mm
- Double - 835 x 460 x 820mm
- Single, Pedal Operated - 440 x 560 x 830mm
- Double, Pedal Operated - 835 x 560 x 830mm

Standard Colours

- Paint - Spearmint

Options

Linen Bags:

- R/BAG/WHITE - White
- R/BAG/BLUE - Blue
- R/BAG/RED - Red
- R/BAG/GREEN - Green
- R/BAG/YELLOW - Yellow
- R/BAG/GREY - Grey
- R/BAG/ORANGE - Orange

See Page 225 For Linen Bags

Item	Description	Weight
WT/6/MS	Mild Steel Cantilever, Single	6.5kg
WT/6/2/MS	Mild Steel Cantilever, Double	10.0kg
WT/6/PL/MS	Mild Steel Cantilever, Single, Pedal Operated	8.5kg
WT/6/2/PL/MS	Mild Steel Cantilever, Double, Pedal Operated	14.5kg



WT/6/MS



WT/6/2/MS



WT/6/PL/MS



WT/6/2/PL/MS



WT/9/MS



WT/9/2/MS



WT/9/PL/MS



WT/9/2/PL/MS

Soiled Linen Trolleys - Mild Steel, Sprung Frame

Features

- Welded mild steel frame
- Suitable for use with either fabric or disposable polythene bags using a sprung rod frame*
- Bags supported on an easy clean solid base
- Available with a plastic, pedal operated lid, when depressed prevents the trolley from moving
- 75mm pressed steel castors

*Factory set for standard 1360mm circumference bags. Can be manually adjusted to suit other bags. Recommended minimum bag height 750mm

Dimensions (w x d x h)

- Single - 440 x 460 x 825mm
- Double - 835 x 460 x 825mm
- Single, Pedal Operated - 440 x 560 x 830mm
- Double, Pedal Operated - 835 x 560 x 830mm

Standard Colours

- Paint - Spearmint

Options

- Linen Bags:
 - R/BAG/WHITE - White
 - R/BAG/BLUE - Blue
 - R/BAG/RED - Red
 - R/BAG/GREEN - Green
 - R/BAG/YELLOW - Yellow
 - R/BAG/GREY - Grey
 - R/BAG/ORANGE - Orange

See Page 225 For Linen Bags

Item	Description	Weight
WT/9/MS	Mild Steel, Sprung Frame, Single	6.5kg
WT/9/PL/MS	Mild Steel, Sprung Frame, Single, Pedal Operated	8.5kg
WT/9/2/MS	Mild Steel, Sprung Frame, Double	10.0kg
WT/9/2/PL/MS	Mild Steel, Sprung Frame, Double, Pedal Operated	14.5kg

Soiled Linen Trolleys Stainless & Mild Steel, Three Castor

Features

- Stainless or mild steel construction
 - Stainless Steel (304 Grade) - Seamlessly welded for strength & ease of cleaning
 - Mild Steel - Welded & painted
- Suitable for use with fabric linen bags using a tubular C shaped ring*
- Bag supported on a base frame
- 100mm pressed steel castors

*Recommended minimum bag circumference 1360mm, height 750mm

Dimensions (w x d x h)

- 500 x 425 x 890mm

Standard Colours

- Stainless Steel
- Paint - Spearmint

Options

- Linen Bags:
 - R/BAG/WHITE - White
 - R/BAG/BLUE - Blue
 - R/BAG/RED - Red
 - R/BAG/GREEN - Green
 - R/BAG/YELLOW - Yellow
 - R/BAG/GREY - Grey
 - R/BAG/ORANGE - Orange

See Page 225 For Linen Bags



WT/10/MS

WT/10/SS

Item	Description	Weight
WT/10/SS	Stainless Steel, Three Castor	5.5kg
WT/10/SS/ZP005	Stainless Steel, Three Castor, Ring Buffers	6.0kg
WT/10/MS	Mild Steel, Three Castor	5.5kg
WT/10/MS/ZP005	Mild Steel, Three Castor, Ring Buffers	6.0kg

Soiled Linen Trolleys Stainless & Mild Steel, Four Castor

Features

- Stainless or mild steel construction
 - Stainless Steel (304 Grade) - Seamlessly welded for strength & ease of cleaning
 - Mild Steel - Welded & painted
- Suitable for use with fabric linen bags using a tubular C shaped ring*
- Bag supported on a base frame
- 100mm pressed steel castors

*Recommended minimum bag circumference 1360mm, height 750mm

Dimensions (w x d x h)

- Single - 460 x 460 x 890mm
- Double - 840 x 460 x 890mm

Standard Colours

- Stainless Steel
- Paint - Spearmint

Options

- ZP005 - 100mm Ring Buffers
- Linen Bags:
 - R/BAG/WHITE - White
 - R/BAG/BLUE - Blue
 - R/BAG/RED - Red
 - R/BAG/GREEN - Green
 - R/BAG/YELLOW - Yellow
 - R/BAG/GREY - Grey
 - R/BAG/ORANGE - Orange



WT/15/SS



WT/14/MS

See Page 225 For Linen Bags

Item	Description	Weight
Single		
WT/14/SS	Stainless Steel, Four Castor, Single	7.0kg
WT/14/MS	Mild Steel, Four Castor, Single	7.0kg
Double		
WT/15/SS	Stainless Steel, Four Castor, Double	8.0kg
WT/15/MS	Mild Steel, Four Castor, Double	8.0kg

Soiled Linen Trolley - Mild Steel, Folding

Features

- Folds to minimize space
- Suitable for use with fabric linen bags
- 50mm polypropylene/thermoplastic rubber twin-wheel castors

*Recommended minimum bag circumference 1360mm, height 750mm

Dimensions (w x d x h)

- Overall Dimensions - 430 x 430 x 1030mm
- Folded - 430 x 200 x 1040mm

Standard Colours

- Paint - Grey

Options

- Linen Bags:
 - R/BAG/WHITE - White
 - R/BAG/BLUE - Blue
 - R/BAG/RED - Red
 - R/BAG/GREEN - Green
 - R/BAG/YELLOW - Yellow
 - R/BAG/GREY - Grey
 - R/BAG/ORANGE - Orange



WT/7/MS

See Page 225 For Linen Bags

Item	Description	Weight
WT/7/MS	Folding, Mild Steel	3.25kg

Linen Trolley - Bed Changing

Features

- Welded mild steel frame
- Three removable, sunken, liquid retaining trays
- Tray heights - 230, 590 & 960mm
- Dividing panel separates clean & soiled linen
- Suitable for use with fabric linen bags using a tubular C shaped ring*
- Bag supported on a base frame
- 100mm pressed steel castors

*Recommended minimum bag circumference 1360mm, height 750mm

Dimensions (w x d x h)

- Overall Dimensions - 830 x 490 x 1040mm
- Tray - 390 x 400 x 25mm

Standard Colours

- Paint - Grey

Options

- ZP005 - 100mm Ring Buffers
- Linen Bags:
 - R/BAG/WHITE - White
 - R/BAG/BLUE - Blue
 - R/BAG/RED - Red
 - R/BAG/GREEN - Green
 - R/BAG/YELLOW - Yellow
 - R/BAG/GREY - Grey
 - R/BAG/ORANGE - Orange



WT/13/MS

See Page 225 For Linen Bags

Item	Description	Weight
WT/13/MS	Bed Changing	15.5kg

Hamper Trolleys - Stainless & Mild Steel

Features

- Stainless or mild steel construction
 - Stainless Steel (304 Grade) - Seamlessly welded for strength & ease of cleaning
 - Mild Steel - Welded & painted
- Suitable for use with fabric hamper bags supported on 4 hooks
- Bag supported on an easy clean solid base
- 100mm pressed steel castors

Overall Dimensions (w x d x h)

- 815 x 514 x 1000mm

Standard Colours

- Stainless Steel
- Paint - Spearmint

Options

- ZP005 - 100mm Ring Buffers
- 2FACO013 - Hamper Bag (190 litre)



WT/11/SS

WT/11/MS
(shown with optional hamper bag)

Item	Description	Weight
WT/11/SS	Hamper Trolley, Stainless Steel	12.5kg
WT/11/MS	Hamper Trolley, Mild Steel	12.5kg

Soiled Linen Bags

Features

- Washable 7oz polyester soiled linen bag
- Circumference 1360mm, height 750mm, 120 litres
- Fitted with eyelets and draw cord with plastic toggle
- Available in a range of colours to allow compliance with local, national & international guidelines



R/BAG/WHITE

R/BAG/BLUE

R/BAG/RED

R/BAG/GREEN



R/BAG/YELLOW

R/BAG/GREY

R/BAG/ORANGE

Item	Description	Weight
R/BAG/WHITE	White Linen Bag	0.3kg
R/BAG/BLUE	Blue Linen Bag	0.3kg
R/BAG/RED	Red Linen Bag	0.3kg
R/BAG/GREEN	Green Linen Bag	0.3kg
R/BAG/YELLOW	Yellow Linen Bag	0.3kg
R/BAG/GREY	Grey Linen Bag	0.3kg
R/BAG/ORANGE	Orange Linen Bag	0.3kg



WT/42



WT/42/COVER

Clean Linen Trolleys - Small (390 Litre)

Features

- Suitable for ward clean linen storage
- Mild steel frame
- Lightweight aluminium cladding & shelves
- Powder coated for durability
- Two adjustable shelves plus base (max 45kg per shelf)
 - Shelf size - 1000 x 450mm (w x d)
- Push handles at either end of trolley
- Available with a flexible cover or fold back doors, preventing dust ingress
 - Flexible Cover
 - Fire retardant cover
 - Secured to the top of the trolley & drops down to enclose the front
 - Weighted bottom hem
 - Velcro style side fastenings
 - Fold Back Doors
 - Fold back doors encloses the front
 - When opened, doors fold against the push handles at either end of the trolley
 - Secured with a drop over latch, complete with clasp to allow locking with a padlock (not supplied)
 - Drop down bolt secures base of doors
- 125mm pressed steel castors
- Maximum capacity 135kg per trolley

Dimensions (w x d x h)

- Overall Dimensions - 1175 x 530 x 1065mm
- Internal Dimensions - 1000 x 500 x 810mm

Standard Colours

- Paint - Grey

Options

- C007 - 125mm Castors, Heavy Duty Pressed Steel, 4 x Non-Braking (set of 4)
- C008 - 125mm Castors, Heavy Duty Pressed Steel, 2 x Braking, 2 x Non-Braking (set of 4)
- ZP010 - 100mm Ring Buffers

Item	Description	Weight
WT/42	Clean Linen Trolley - Small	39.7kg
WT/42/COVER	Clean Linen Trolley - Small, Flexible Cover	42.4kg
WT/42/FBD	Clean Linen Trolley - Small, Fold Back Doors	46.0kg

Clean Linen Trolleys - Medium (690 Litre)

Features

- Widely used for bulk linen delivery, part of a linen exchange system, or as an alternative to dedicated ward linen rooms
- Mild steel frame
- Lightweight aluminium cladding & shelves
- Powder coated for durability
- Three adjustable shelves plus base (max 45kg per shelf)
 - Shelf size - 1180 x 460mm (w x d)
- Inset push handles at either end of trolley
- Low level bumper rail offers protection to both the trolley & fabric of the building
- Available with a flexible cover or fold back doors, preventing dust ingress
 - Flexible Cover
 - Fire retardant cover
 - Secured to the top of the trolley & drops down to enclose the front
 - Weighted bottom hem
 - Velcro style side fastenings
 - Fold Back Doors
 - Fold back doors encloses the front
 - When opened, doors fold back flat at either end of the trolley*
 - Secured with a drop over latch, complete with clasp to allow locking with a padlock (not supplied)
 - Drop down bolt secures base of doors
- Optional tow bar fitting
 - Tow bar fitted to the front (swivel castor)
 - Antiluce fastener fitted to rear (fixed castor)
 - Tow bar position approx. 360-380mm above floor
 - Recommended max speed 7kph for towed trolleys
- 200mm heavy duty castors, 2 x fixed, 2 x swivel
- Maximum capacity 180kg per trolley

*Doors will not fold back flat when a tow bar is fitted

Dimensions (w x d x h)

- Overall Dimensions - 1430 x 600 x 1495
- Internal Dimensions - 1180 x 500 x 1180

Standard Colours

- Paint - Grey

Item	Description	Weight
Non-Towing		
WT/50	Clean Linen Trolley - Medium	87.0kg
WT/50/COVER	Clean Linen Trolley - Medium, Flexible Cover	90.0kg
WT/50/FBD	Clean Linen Trolley - Medium, Fold Back Doors	97.3kg
Towing		
WT/50/TBAR	Clean Linen Trolley - Medium, Tow Bar	89.5kg
WT/50/COVER/TBAR	Clean Linen Trolley - Medium, Flexible Cover, Tow Bar	92.5kg
WT/50/FBD/TBAR	Clean Linen Trolley - Medium, Fold Back Doors, Tow Bar	100.8kg



Tow Bar



WT/50



WT/50/FBD

AGV Compatible Trolleys & Carts
Bristol Maid™ is your ideal partner for transport trolleys & carts for Automated Guided Vehicle (AGV) systems. We can provide solutions that are compatible with Sterile Supplies, Laundry, Medical Records & Pharmacy distribution



AGV Compatible Trolleys & Carts

Bristol Maid™ is your ideal partner for transport trolleys & carts for Automated Guided Vehicle (AGV) systems. We can provide solutions that are compatible with Sterile Supplies, Laundry, Medical Records & Pharmacy distribution

Clean Linen Trolleys - Large (1100 Litre)

Features

- Widely used for bulk linen delivery, part of a linen exchange system, or as an alternative to dedicated ward linen rooms
- Mild steel frame
- Lightweight aluminium cladding & shelves
- Powder coated for durability
- Three adjustable shelves plus base (max 45kg per shelf)
 - Shelf size - 1430 x 555mm (w x d)
- Inset push handles at either end of trolley
- Low level bumper rail offers protection to both the trolley & fabric of the building
- Available with a flexible cover or fold back doors, preventing dust ingress
 - Flexible Cover
 - Fire retardant cover
 - Secured to the top of the trolley & drops down to enclose the front
 - Weighted bottom hem
 - Velcro style side fastenings
 - Fold Back Doors
 - Fold back doors encloses the front
 - When opened, doors fold back flat at either end of the trolley*
 - Secured with a drop over latch, complete with clasp to allow locking with a padlock (not supplied)
 - Drop down bolt secures base of doors
- Optional tow bar fitting
 - Tow bar fitted to the front (swivel castor)
 - Antiluce fastener fitted to rear (fixed castor)
 - Tow bar position approx. 360-380mm above floor
 - Recommended max speed 7kph for towed trolleys
- 200mm heavy duty castors, 2 x fixed, 2 x swivel
- Maximum capacity 180kg per trolley

Dimensions (w x d x h)

- Overall Dimensions - 1710 x 700 x 1620mm
- Internal Dimensions - 1420 x 610 x 1295mm

Standard Colours

- Paint - Grey

Item	Description	Weight
Non-Towing		
WT/48	Clean Linen Trolley - Large	99.6kg
WT/48/COVER	Clean Linen Trolley - Large, Flexible Cover	102.9kg
WT/48/FBD	Clean Linen Trolley - Large, Fold Back Doors	111.5kg
Towing		
WT/48/TBAR	Clean Linen Trolley - Large, Tow Bar	103.1kg
WT/48/COVER/TBAR	Clean Linen Trolley - Large, Flexible Cover, Tow Bar	106.4kg
WT/48/FBD/TBAR	Clean Linen Trolley - Large, Fold Back Doors, Tow Bar	115.0kg



Flexible Cover

- Fire retardant cover
- Secured to the top of the trolley & drops down to enclose the front
- Weighted bottom hem
- Velcro style side fastenings

Tow Bar Fitting

- Tow bar fitted to the front (swivel castor)
- Antiluce fastener fitted to rear (fixed castor)
- Tow bar position approx. 360-380mm above floor
- Recommended max speed 7kph for towed trolleys

Fold Back Doors

- Fold back doors encloses the front
- When opened, doors fold back flat at either end of the trolley*
- Secured with a drop over latch, complete with clasp to allow locking with a padlock (not supplied)
- Drop down bolt secures base of doors

*Doors will not fold back flat when a tow bar is fitted