



## Medical Records

Medical Records Trolleys	238
Medical Record Workstations	244
Laptop/Motion C5 Holders	246
Carefile Filing Pockets	246
Abloy Cliq™	249
Medical Records Tiered Trolleys	250
Medical Records Transfer Trolleys	251
Medical Records Cabinet	253

Medical Records Trolleys - Small

Features

- Suitable for use with our popular filing pockets (order separately)
- Available as open or with a locking lid...
  - Open sides
    - Open sides, lower shelf & work flap
    - Open sides, x-ray pigeon hole & work flap
    - Open sides, lower shelf, work flap, high capacity storage
  - Locking Lid
    - Locking lid & lower shelf
    - Locking lid & x-ray pigeon hole
- Locking lid fitted with either a...
  - CAM lock (supplied with 2 keys)
  - Electronic push button lock
- Maximum load on lid 2.0kg
- Document pocket fitted to end/side of trolley
- Optional ring buffers to protect the fabric of the building (increases length & width of trolley by approx. 80mm)
- 100mm pressed steel castors

Standard Colours

- Paint - Spearmint/Grey
- Lids/Flaps - Spearmint

Options

- ZP010 - Ring Buffers
- CF/F/PK10 - Narrow Foolscap Filing Pockets (x 10)
- CF/X/PK10 - Narrow X-Ray Filing Pockets (x 10)
- CF/XF/PK10 - Narrow X-Ray/Foolscap Filing Pockets (x 10)
- CF/WF/PK10 - Wide Foolscap Filing Pockets (x 10)
- R/C/T - Paper Tabs (x 500)
- R/C/TH - Tab Holders (x 25)
- C004 - 100mm Polymer Castor, 2 x Braking / 2 x Non-Braking (set of 4)
- C005 - 100mm Polymer Castor, 4 x Braking (set of 4)

Open Sides

Item	Description	Overall Dimensions (w x d x h)	Weight
MR200	Open Sides, Lower Shelf & Work Flap	627 x 522 x 997mm	18.0kg
MR220	Open Sides, X-Ray Pigeon Hole & Work Flap	627 x 522 x 997mm	24.0kg
MR240	Open Sides, Lower Shelf, Work Flap, High Capacity Storage	576 x 584 x 997mm	21.2kg

Locking

CAM Lock	Electronic Push Button Lock	Description	Overall Dimensions (w x d x h)	Weight
MR210*	MR210CL*	Locking Lid & Lower Shelf	671 x 522 x 1056mm	27.2kg
MR230*	MR230CL*	Locking Lid & X-Ray Pigeon Hole	671 x 522 x 1056mm	31.6kg

\*When fully open trolley length is approximately 1190mm



Electronic Push Button Lock

- Uses a 10-button keypad & a # button. The # button is hidden beneath the handle when in the locked position
- Easy programming & code change
- Four operating codes with differing levels of authority - Master / Sub-master / User / Technician
- User codes are 4 digits
- Master & sub-master codes are 8 digits
- 15,000 openings on 2 x AAA cells (supplied)
- Low battery warning with failure override using 9v battery
- across LED's (+/-) & master code



Carefile Pocket Compatibility

Item	Narrow			Wide
	CF/F/PK10	CF/X/PK10	CF/XF/PK10	CF/WF/PK10
MR200	✓	✓	✓	✓
MR210	✓	✓	✓	✓
MR210CL	✓	✓	✓	✓
MR220	✓	✓	✓	✓
MR230	✓			✓
MR230CL	✓			✓
MR240	✓			✓



MR310CL

Medical Records Trolleys - Medium

Features

- Suitable for use with our popular filing pockets (order separately)
- Available as open or with a locking lid...
  - Open sides
    - Open sides, lower shelf & work flap
    - Open sides, x-ray pigeon hole & work flap
  - Locking Lids
    - Locking lids & lower shelf
    - Locking lids & x-ray pigeon hole
- Locking lids fitted with either a...
  - CAM lock (supplied with 2 keys)
  - Electronic push button lock
- Maximum load on lid 2.0kg
- Document pocket fitted to end of trolley
- Optional ring buffers to protect the fabric of the building (increases length & width of trolley by approx. 80mm)
- 100mm pressed steel castors

Standard Colours

- Paint - Spearmint/Grey
- Lids/Flaps - Spearmint

Options

- ZP010 - Ring Buffers
- CF/F/PK10 - Narrow Foolscap Filing Pockets (x 10)
- CF/X/PK10 - Narrow X-Ray Filing Pockets (x 10)
- CF/XF/PK10 - Narrow X-Ray/Foolscap Filing Pockets (x 10)
- R/C/T - Paper Tabs (x 500)
- R/C/TH - Tab Holders (x 25)
- C004 - 100mm Polymer Castor, 2 x Braking / 2 x Non-Braking (set of 4)
- C005 - 100mm Polymer Castor, 4 x Braking (set of 4)

Filing Capacity	Standard
Narrow Pockets	695mm

Open Sides

Item	Description	Overall Dimensions (w x d x h)	Weight
MR300	Open Sides Lower Shelf & Work Flap	851 x 522 x 997mm	20.8kg
MR320	Open Sides, X-Ray Pigeon Hole & Work Flap	851 x 522 x 997mm	29.0kg

Locking

CAM Lock	Electronic Push Button Lock	Description	Overall Dimensions (w x d x h)	Weight
MR310*	MR310CL*	Locking Lids & Lower Shelf	920 x 522 x 1056mm	34.4kg
MR330*	MR330CL*	Locking Lids & X-Ray Pigeon Hole	920 x 522 x 1056mm	39.6kg

\*When fully open trolley length is approximately 1420mm



MR330



MR300

Electronic Push Button Lock

- Uses a 10-button keypad & a # button. The # button is hidden beneath the handle when in the locked position
- Easy programming & code change
- Four operating codes with differing levels of authority - Master / Sub-master / User / Technician
- User codes are 4 digits
- Master & sub-master codes are 8 digits
- 15,000 openings on 2 x AAA cells (supplied)
- Low battery warning with failure override using 9v battery
- across LED's (+/-) & master code



Carefile Pocket Compatibility

Item	Narrow		
	CF/F/PK10	CF/X/PK10	CF/XF/PK10
MR300	✓	✓	✓
MR310	✓	✓	✓
MR310CL	✓	✓	✓
MR320	✓	✓	✓
MR330	✓		
MR330CL	✓		



Alternative Colours  
Page 410





MR400

Filing Capacity	Standard	High Capacity
Narrow Pockets	940mm	1880mm
Wide Pockets	760mm	1520mm

Open Sides

Item	Description	Overall Dimensions (w x d x h)	Weight
MR400	Open Sides Lower Shelf & Work Flaps	1158 x 584 x 997mm	28.0kg
MR420	Open Sides, X-Ray Pigeon Hole & Work Flaps	1158 x 584 x 997mm	40.0kg
MR440	Open Sides, Lower Shelf, Work Flaps, High Capacity Storage	1158 x 584 x 997mm	36.0kg

Locking

CAM Lock	Electronic Push Button Lock	Description	Overall Dimensions (w x d x h)	Weight
MR410*	MR410CL*	Locking Lids & Lower Shelf	1240 x 522 x 1056mm	46.4kg
MR430*	MR430CL*	Locking Lids & X-Ray Pigeon Hole	1240 x 522 x 1056mm	53.6kg

\*When fully open trolley length is approximately 2085mm

Medical Records Trolleys - Large

Features

- Suitable for use with our popular filing pockets (order separately)
- Available as open or with a locking lid...
  - Open sides
    - Open sides, lower shelf & work flap
    - Open sides, x-ray pigeon hole & work flap
    - Open sides, lower shelf, work flap, high capacity storage
  - Locking Lid
    - Locking lid & lower shelf
    - Locking lid & x-ray pigeon hole
- Locking lid fitted with either a...
  - CAM lock (supplied with 2 keys)
  - Electronic push button lock
- Maximum load on lid 2.0kg
- Document pockets fitted to end/side of trolley
- Optional ring buffers to protect the fabric of the building (increases length & width of trolley by approx. 80mm)
- 100mm pressed steel castors

Standard Colours

- Paint - Spearmint/Grey
- Lids/Flaps - Spearmint



Alternative Colours  
Page 410

Options

- ZP010 - Ring Buffers
- CF/F/PK10 - Narrow Foolscap Filing Pockets (x 10)
- CF/X/PK10 - Narrow X-Ray Filing Pockets (x 10)
- CF/XF/PK10 - Narrow X-Ray/Foolscap Filing Pockets (x 10)
- CF/WF/PK10 - Wide Foolscap Filing Pockets (x 10)
- R/C/T - Paper Tabs (x 500)
- R/C/TH - Tab Holders (x 25)
- C004 - 100mm Polymer Castor, 2 x Braking / 2 x Non-Braking (set of 4)
- C005 - 100mm Polymer Castor, 4 x Braking (set of 4)



MR410CL

Electronic Push Button Lock

- Uses a 10-button keypad & a # button. The # button is hidden beneath the handle when in the locked position
- Easy programming & code change
- Four operating codes with differing levels of authority - Master / Sub-master / User / Technician
- User codes are 4 digits
- Master & sub-master codes are 8 digits
- 15,000 openings on 2 x AAA cells (supplied)
- Low battery warning with failure override using 9v battery
- across LED's (+/-) & master code



MR440

Carefile Pocket Compatibility

Item	Narrow		Wide	
	CF/F/PK10	CF/X/PK10	CF/XF/PK10	CF/WF/PK10
MR400	✓	✓	✓	✓
MR410	✓	✓	✓	✓
MR410CL	✓	✓	✓	✓
MR420	✓	✓	✓	✓
MR430	✓			✓
MR430CL	✓			✓
MR440	✓			✓



Medical Records Workstations

Features

- Constructed from melamine faced chipboard / laminate offering an extremely strong & durable, yet aesthetically pleasing appearance
- Available as single & double column units with...
  - One / two drawers & x-ray pigeon hole (5 / 10 sections)
  - One / two drawers & open cupboard
  - Two / four drawers
- Two locking options
  - CAM lock (supplied with 2 keys)
  - Electronic push button lock
- Where relevant one lock secures all drawers
- Double drawer units fitted with an anti-tilt mechanism preventing two drawers from being opened at the same time
- Max load per drawer 16.0kg
- Push handle & document pocket fitted to end of trolley
- Suitable for use with our filing pockets (order separately)
- Provides 375mm filing capacity per drawer
- Polyurethane ring buffers offer protection to both the trolley & fabric of the building; smooth surfaces assist cleaning
- 100mm pressed steel castors, 2 off braking

Overall Dimensions

- Single Column - 604 x 538 x 1028mm
- Double Column - 1056 x 538 x 1034mm

Standard Colours

- Paint - Grey White
- Base / Sides / Back / Centre Panels - Grey White
- Top / Drawer Fronts - Spearmint
- Edging - Grey White

Electronic Push Button Lock

- Uses a 10-button keypad & a # button. The # button is hidden beneath the handle when in the locked position
- Easy programming & code change
- Four operating codes with differing levels of authority - Master / Sub-master / User / Technician
- User codes are 4 digits
- Master & sub-master codes are 8 digits
- 15,000 openings on 2 x AAA cells (supplied)
- Low battery warning with failure override using 9v battery
- across LED's (+/-) & master code



Single Column

Description	CAM Lock	Electronic Push Button Lock	Weight
One Drawer, X-Ray Pigeon Hole	MRW/S1DXP/CAM	MRW/S1DXP/CL	34.2kg
One Drawer, Open Cupboard	MRW/S1DOC/CAM	MRW/S1DOC/CL	34.0kg
Two Drawers	MRW/S2D/CAM	MRW/S2D/CL	40.6kg



Options

- MRW/LHR/S - Laptop Holder, Removable, Swing Arm
- MRW/LHNR/S - Laptop Holder, Non-Removable, Swing Arm
- MRW/LH/C5 - Motion C5 Holder, Swing Arm
- R/MRW/LHR/S - Laptop Holder, Removable, Swing Arm (Retro-Fit)
- R/MRW/LHNR/S - Laptop Holder, Non-Removable, Swing Arm (Retro-Fit)
- R/MRW/LH/C5 - Motion C5 Holder, Swing Arm (Retro-Fit)
- CF/F/PK10 - Narrow Foolsap Filing Pockets (x 10)
- R/C/T - Paper Tabs (x 500)
- R/C/TH - Tab Holders (x 25)
- C004 - 100mm Polymer Castor, 2 x Braking / 2 x Non-Braking (set of 4)
- C005 - 100mm Polymer Castor, 4 x Braking (set of 4)

Double Column

Description	CAM Lock	Code Lock Electronic Push Button Lock	Weight
Two Drawers, X-Ray Pigeon Hole	MRW/D2DXP/CAM	MRW/D2DXP/CL	62.0kg
Two Drawers, Open Cupboard	MRW/D2DOC/CAM	MRW/D2DOC/CL	58.0kg
Four Drawers	MRW/D4D/CAM	MRW/D4D/CL	72.0kg

## Laptop Holder - Removable, Swing Arm

### Features

- Three section swing arm offering height, rotation & angle adjustment
- Compatible with the MRW range of medical record workstations
- Laptop holder fitted to an upright bolted to the rear left hand corner of the trolley (upright & holder supplied for customer to fit)
- Adjustable to accept laptops 280-435 x 22mm (w x h)
- Maximum capacity 2.0kg
- Laptop supported in a cradle fitted with adjustable wing arms
- Laptop can be secured using a security clamp (supplied)
- Design allows easy access to laptop ports
- Retrofit model available, compatible with existing medical record workstations

### Standard Colours

- Paint - Grey White



Item	Description	Weight
MRW/LHR/S	Laptop Holder - Removable, Swing Arm	3.7kg
R/MRW/LHR/S	Laptop Holder - Removable, Swing Arm (Retro-Fit)	3.7kg

## Laptop Holder - Non-Removable, Swing Arm

### Features

- Three section swing arm offering height, rotation & angle adjustment
- Compatible with the MRW range of medical record workstations
- Laptop holder fitted to an upright bolted to the rear left hand corner of the trolley (upright & holder supplied for customer to fit)
- Adjustable to accept laptops 280-435 x 22mm (w x h)
- Maximum capacity 2.0kg
- Laptop supported in a cradle fitted with a steel mounting bracket that can be fixed using either nylock or wing nuts
- Laptop can be secured using a security clamp (supplied)
- Design allows easy access to laptop ports
- Retrofit model available, compatible with existing medical record workstations

### Standard Colours

- Paint - Grey White



Item	Description	Weight
MRW/LHNR/S	Laptop Holder - Non-Removable, Swing Arm	5.0kg
R/MRW/LHNR/S	Laptop Holder - Non-Removable, Swing Arm (Retro-Fit)	5.0kg

## Laptop Holder - Motion C5 Holder

### Features

- Three section swing arm offering height, rotation & angle adjustment
- Compatible with the MRW range of medical record workstations
- Motion C5 holder fitted to an upright bolted to the rear left hand corner of the trolley (upright & holder supplied for customer to fit)
- Maximum capacity 2.0kg
- Tablet located in a RAM-In-Motion passive dock allowing for easy insertion & removal
- Retrofit model available, compatible with existing medical record workstations

### Standard Colours

- Paint - Grey White



Item	Description	Weight
MRW/LH/C5	Motion C5 Holder - Swing Arm	2.7kg
R/MRW/LH/C5	Motion C5 Holder - Retrofit, Swing Arm	2.7kg



MRW/S1DOC/CAM fitted with MRW/LHR/S (laptop not included)





### Carefile Filing Pockets

#### Features

- Filing pockets suitable with Bristol Maid™ trolleys and most standard filing suspension systems
- Provides a durable alternative to paper or card types in narrow and wide versions
  - Narrow - 380mm spacings/centres
  - Wide - 470mm spacings/centres
- Fire retardant PVC coated nylon fabric with stainless steel runners
- Unique 'stay-put' tab holders and pink / blue reversible card tabs
- Supplied in packs of ten

#### Standard Colours

- Vinyl - Grey

Item	Description	Internal Pocket Dimensions (w x h)
Narrow Pockets		
CF/F/PK10	Foolscap (x 10)	360 x 260mm
CF/X/PK10	X-Ray (x 10)	360 x 460mm
CF/XF/PK10	X-Ray/Foolscap (x 10)	X-ray - 360 x 460mm Foolscap - 360 x 260mm
Wide Pockets		
CF/WF/PK10	Wide Foolscap (x 10)	450 x 260mm
Paper Tabs & Tab Holders		
R/C/T	Paper Tabs (x 500)	
R/C/TH	Tab Holders (x 25)	


### CLIQ® & RFID Solutions

The use of CLIQ® coupled with unique RFID tag identifiers allows a single key to be used with Medicines Management and for Accessing Patient Records.

- Controlled Drug Cabinets (audit trail available)
- Drug & Medicine Cabinets (audit trail available)
- Self-Administration Cabinets
- Bedside Cabinets
- Drug & Medicine Dispensing Trolleys
- Medical Records Trolleys

The use of RFID cards allows a single card to be used with Self-Administration Schemes.

- Self-Administration Cabinets
- Bedside Cabinets





Medical Records Trolleys - Tiered

Features

- Suitable for use with...
  - Case note files
  - Ring binders
  - Lever arch files
- Max file height 360mm (see below for filing capacity)
- Available with
  - Open front
  - Hinged door/s fitted with an electronic push button lock
- Shelves slope to the rear of the trolley to help retain contents
- Each trolley is supplied with adjustable dividers
  - Small Trolleys - 4 dividers
  - Large Trolleys - 8 dividers
- Optional ring buffers to protect the fabric of the building (increases length & width of trolley by approx. 80mm)
- 100mm pressed steel castors

Standard Colours

- Paint - Spearmint/Grey
- Top - Spearmint

Options

- ZP010 - Ring Buffers
- C004 - 100mm Polymer Castor, 2 x Braking / 2 x Non-Braking (set of 4)
- C005 - 100mm Polymer Castor, 4 x Braking (set of 4)

	Case Note Files	Ring Binders	Lever Arch Files
	235 x 50 x 320mm	250 x 40 x 315mm	290 x 75 x 315mm
Small - 890	18	22	12
Large - 1490	36	45	24

Electronic Push Button Lock

- Uses a 10-button keypad & a # button. The # button is hidden beneath the handle when in the locked position
- Easy programming & code change
- Four operating codes with differing levels of authority - Master / Sub-master / User / Technician
- User codes are 4 digits
- Master & sub-master codes are 8 digits
- 15,000 openings on 2 x AAA cells (supplied)
- Low battery warning with failure override using 9v battery
- across LED's (+/-) & master code



Item	Description	Overall Dimensions (w x d x h)	Weight
Small			
MR145	Open Front	526 x 426 x 1005mm	12.5kg
MR145CL	Hinged Door, Electronic Push Button Lock	531 x 464 x 1005mm	16.8kg
Large			
MR150	Open Front	981 x 426 x 1005mm	23.5kg
MR150CL	Hinged Door, Electronic Push Button Lock	981 x 464 x 1005mm	32.0kg

Medical Records Transfer Trolleys - Single Box

Features

- Suitable for use the transportation of bulk case notes & X-rays
- Records stored in an upper box - internal dimensions 600 x 450 x 250mm (bottom of box positioned 520mm to floor)
- Lower tray
- Available with a locking lid fitted with either a CAM or electronic push button lock providing secure storage patient records
- Trolley max capacity 50kg
- Optional ring buffers to protect the fabric of the building (increases length & width of trolley by approx. 80mm)
- 100mm pressed steel castors

Overall Dimensions (w x d x h)

- 817 x 523 x 975mm

Standard Colours

- Paint - Spearmint/Grey

Options

- ZP005 - Ring Buffers



Electronic Push Button Lock

- Uses a 10-button keypad & a # button. The # button is hidden beneath the handle when in the locked position
- Easy programming & code change
- Four operating codes with differing levels of authority - Master / Sub-master / User / Technician
- User codes are 4 digits
- Master & sub-master codes are 8 digits
- 15,000 openings on 2 x AAA cells (supplied)
- Low battery warning with failure override using 9v battery
- across LED's (+/-) & master code



Item	Description	Weight
Open		
MR130	Open Top	16.0kg
Locking Lid		
MR140	Locking Lid, CAM Lock	19.0kg
MR140CL	Locking Lid, Electronic Push Button Lock	19.0kg



## Medical Records Transfer Trolley Double Box

### Features

- Trolley for the transportation of bulk case notes & x-rays
- Records stored in two removable boxes - internal dimensions 535 x 344 x 290mm
  - Lower - Top of box 440mm to floor
  - Upper - Top of box 975mm to floor
- Clearance between upper & lower boxes, 235mm
- Max capacity 25kg (per box)
- Optional ring buffers to protect the fabric of the building (increases length & width of trolley by approx. 80mm)
- 100mm pressed steel castors

### Options

- ZP005 - Ring Buffers
- 2PLCO327 - Removable Box

### Overall Dimensions (w x d x h)

- 940 x 425 x 1040mm

### Standard Colours

- Paint - Spearmint



Item	Description	Weight
MR105	Double Box	24.0kg

## Medical Records Transfer Trolley Double Box, Extending

### Features

- Trolley for the transportation of bulk case notes & x-rays
- Records stored in two removable boxes - internal dimensions 568 x 368 x 316mm
  - Lower - Top of box 440mm to floor
  - Upper - Top of box 975mm to floor
- Clearance between upper & lower boxes, 235mm
- Max capacity 25kg (per box)
- 100mm pressed steel castors

### Overall Dimensions (w x d x h)

- 875 x 598 x 1040mm

### Options

- 2PLCO271 - Removable Box

### Standard Colours

- Paint - Spearmint



Item	Description	Weight
MR110	Double Box, Extending	31.6kg

## Medical Records Transfer Trolley Double Box, Duo

### Features

- Unique 'two' trolley system for the bulk transportation of case notes & x-rays
- Records stored in fixed boxes - internal dimensions 600 x 420 x 255mm
- Allows trolleys to be loaded independently, before being linked together & transported
- Trolleys link together using a simple clevis pin
- Max capacity 25kg (per box)
- 100mm pressed steel castors (2 off braking) & 200mm wheels (braking)

### Overall Dimensions (w x d x h)

- 866 x 522 x 970mm

### Standard Colours

- Paint - Spearmint/Grey



Item	Description	Weight
MR120	Double Box, Duo	34.6kg

## Medical Records Cabinet X-Ray Filing

### Features

- Lockable x-ray filing cabinet (complete with dividers)
- Three drawers fitted with heavy duty ball bearing slides
- Anti-tilt device prevents more than one drawer being opened at the same time
- Offers total filing capacity of 1740mm, 580mm per drawer\*

\*Suspended filing is not compatible with this unit

### Overall Dimensions (w x d x h)

- 590 x 660 x 1320mm

### Standard Colours

- Paint - Grey



Item	Description	Weight
5AM3XRAY	X-Ray Filing Cabinet	75.0kg